

Repose

OR-TUB-REPOSE603017

O|R

SIZE:

60" x 30" x 17"

WATER CAPACITY:

45 Gallons

WEIGHT:

80 - 120 Pounds depending on system

BACK SLOPE:

26°

MATERIAL:

1/4" Nominal Thickness
Acrylic and Fiberglass Construction

WARRANTY:


10 Year Warranty.

FEATURES:

- Integral waste and overflow included.
- Overflow and drain comes standard in polished chrome, unless specified otherwise.
- Seamless Integral Skirt and 3-sided tile flange

OPTIONAL:

- Air System
- Blower and Control Panel Must be Remotely Located
- Electrical Requirements 1 15 AMP dedicated GF-115 Volts
- Comes with AeroClean™.
A revolutionary feature that creates an anti-bacterial environment in your bath and plumbing system.


CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice please contact a Renaissance Tile & Bath representative for more information.

O'NEIL RUPPEL
Luxury Bath Fittings and Bespoke Faucetry

ATLANTA
CHARLOTTE
CHICAGO

404.231.9203
704.372.1575
312.467.9590

DALLAS
NASHVILLE
WASHINGTON DC

214.571.9867
615.742.0054
703.549.7806

ONEILRUPPEL.COM
RENAISSANCETILEANDBATH.COM

Repose

OR-TUB-REPOSE603217

O|R

SIZE:

60" x 32" x 17"

WATER CAPACITY:

45 Gallons

WEIGHT:

80 - 120 Pounds depending on system

BACK SLOPE:

26°

MATERIAL:

1/4" Nominal Thickness
Acrylic and Fiberglass Construction

WARRANTY:




10 Year Warranty.

FEATURES:

- Integral waste and overflow included.
- Overflow and drain comes standard in polished chrome, unless specified otherwise.
- Seamless Integral Skirt and 3-sided tile flange

OPTIONAL:

- Air System
- Blower and Control Panel Must be Remotely Located
- Electrical Requirements 1 15 AMP dedicated GF-115 Volts
- Comes with AeroClean™.
A revolutionary feature that creates an anti-bacterial environment in your bath and plumbing system.


CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice please contact a Renaissance Tile & Bath representative for more information.

O'NEIL RUPPEL
Luxury Bath Fittings and Bespoke Faucetry

ATLANTA
CHARLOTTE
CHICAGO

404.231.9203
704.372.1575
312.467.9590

DALLAS
NASHVILLE
WASHINGTON DC

214.571.9867
615.742.0054
703.549.7806

ONEILRUPPEL.COM
RENAISSANCETILEANDBATH.COM

Repose

OR-TUB-REPOSE603020

O|R

SIZE:

60" x 30" x 20"

WATER CAPACITY:

45 Gallons

WEIGHT:

90 - 130 Pounds depending on system

BACK SLOPE:

28°

MATERIAL:

1/4" Nominal Thickness
Acrylic and Fiberglass Construction

WARRANTY:


10 Year Warranty.

FEATURES:

- Integral waste and overflow included.
- Overflow and drain comes standard in polished chrome, unless specified otherwise.
- Seamless Integral Skirt and 3-sided tile flange

OPTIONAL:

- Air System
- Blower and Control Panel Must be Remotely Located
- Electrical Requirements 1 15 AMP dedicated GF-115 Volts
- Comes with AeroClean™.
A revolutionary feature that creates an anti-bacterial environment in your bath and plumbing system.


CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice please contact a Renaissance Tile & Bath representative for more information.

O'NEIL RUPPEL
Luxury Bath Fittings and Bespoke Faucetry

ATLANTA
CHARLOTTE
CHICAGO

404.231.9203
704.372.1575
312.467.9590

DALLAS
NASHVILLE
WASHINGTON DC
214.571.9867
615.742.0054
703.549.7806

ONEILRUPPEL.COM
RENAISSANCETILEANDBATH.COM

Repose

OR-TUB-REPOSE603220

O|R

SIZE:

60" x 32" x 20"

WATER CAPACITY:

63 Gallons

WEIGHT:

90 - 130 Pounds depending on system

BACK SLOPE:

28°

MATERIAL:

1/4" Nominal Thickness
Acrylic and Fiberglass Construction

WARRANTY:




10 Year Warranty.

FEATURES:

- Integral waste and overflow included.
- Overflow and drain comes standard in polished chrome, unless specified otherwise.
- Seamless Integral Skirt and 3-sided tile flange

OPTIONAL:

- Air System
- Blower and Control Panel Must be Remotely Located
- Electrical Requirements 1 15 AMP dedicated GF-115 Volts
- Comes with AeroClean™.
A revolutionary feature that creates an anti-bacterial environment in your bath and plumbing system.


CODES AND COMPLIANCES

Massachusetts code File no: P1-0614-491



All specifications and options subject to change without notice please contact a Renaissance Tile & Bath representative for more information.

O'NEIL RUPPEL
Luxury Bath Fittings and Bespoke Faucetry

ATLANTA
CHARLOTTE
CHICAGO

404.231.9203
704.372.1575
312.467.9590

DALLAS
NASHVILLE
WASHINGTON DC

214.571.9867
615.742.0054
703.549.7806

ONEILRUPPEL.COM
RENAISSANCETILEANDBATH.COM